

**Fuel production (Thousands of barrels per day)
January 2025**

Product	Talara Refinery
Process	37.02
Hydrotreated heavy naphtha	0.95
Hydrotreated light naphtha	0.73
Butane	0.10
Primary Naphtha	0.65
Heavy Naphtha	
Natural Gasoline	
Primary Residual	
Natural gas condensate	
Middle distillates for blending	0.55
Diesel 2	0.73
Diesel 2 - S50	
Low sulphur fuel oil	
Primary Distillation Unit Gas	
Gasoline 90	0.65
Gasoline 95	0.55
Vacuum Residue	0.16
Slop	
Fuels for own use	
Fuel gas	
Sulfur	
Vacuum Distillation Unit Gas	0.05
Heavy Gasoil	0.41
Fuel Gas	3.93
PSA OFFGAS	0.16
Cutting material	18.43
Spent gas to DV3	0.00
Naphtha for own use	3.91
FCK Heavy Gasoil	0.15
FCK LPG	0.01
Asphalt waste	3.42
Diesel 2 - S50 Hydrotreated	1.48
Finished	67.46
Liquefied Petroleum Gas	2.45
Propane	
Butane	
Premium Gasohol	
Regular Gasohol	
Premium Gasoline	7.79
Regular Gasoline	11.66
Gasoline 84	1.18
Turbo A-1	3.55
Diesel B5 - S50	22.53
Diesel B5	1.16
Marine Diesel 2	0.36
Industrial Oil 500	
Industrial Oil 6	16.56
Intermediate residual fuel - 380 (IFO - 380)	
Solvent 1	
Solvent 3	
Liquid Asphalt MC-30	
Liquid Asphalt RC-250	
Solid asphalt	
Solid asphalt 120/150 PEN	
Solid asphalt 60/70 PEN	
Solid asphalt 85/100 PEN	
Bed coke	0.17
Fine coke	0.05
Wet coke	0.02
Total	104.48

Note: The information is also reported to the DGH.

<https://www.gob.pe/institucion/minem/coleccion/17643-informes-estadisticos-upstream-downstream>